

SparkSphere Air — Specifications

2-in-1 Wireless Bluetooth Transmitter & Receiver

WIRELESS

Bluetooth version **5.0**
 Operating range **Up to 30 ft / 10 m (line of sight)**
 Profiles **A2DP, AVRCP, HFP, HSP**

POWER

Battery **Built-in 120 mAh Li-polymer**
 Input **DC 5V / 1A via USB-C**
 Full charge **Approx. 1.5 hours**
 Playtime **Up to 8 hours mixed use**

AUDIO

Connector **3.5 mm TRS (universal aux)**
 Microphone **Built-in MEMS mic for hands-free calls**
 Modes **TX (transmit) / RX (receive) — physical slider**

PHYSICAL

Dimensions **111 × 61 × 16 mm (boxed)**
 Weight **~10 g (device)**
 Housing **Matte ABS with soft-touch finish**

IN THE BOX

Device **1 × SparkSphere Air (Gen 2)**
 Cable **1 × USB-C charging cable**
 Documentation **Multilingual quick-start guide**
 Packaging **Retail-ready printed box**



Buying & Shipping

Standard wholesale terms for SparkSphere Air. Final pricing and lead times confirmed on PO.

PRICING TIERS (FOB)

500 pcs	\$10.50/unit	MO
1,000 pcs	\$8.88/unit	
5,000 pcs	\$7.60/unit	
10,000 pcs+	\$6.90/unit	Best

LEAD TIMES

Samples	5–7 business days after payment
First production run	25–30 days after deposit & artwork sign-off
Reorders	20–25 days

SHIPPING

Default	FOB Shenzhen, China
Available	DDP to US / EU / UK on request
Modes	Air, sea, and express courier (DHL / FedEx / UPS)

PAYMENT TERMS

Standard terms	T/T 30% deposit, 70% balance before shipment
Samples	Prepaid; sample fee credited against your first PO of 1,000+ pcs
Currency	USD

CUSTOM PACKAGING & OEM

- Custom retail packaging available (your logo, colorway, and inserts)
- OEM/ODM color and finish options available at MOQ 5,000 pcs
- Private-label firmware branding available on request

READY TO ORDER?

sales@sparkspheretechnologies.com

sparkspheretechnologies.com

